

IN THE UNITED STATES DISTRICT COURT
FOR THE DISTRICT OF DELAWARE

BARDY DIAGNOSTICS, INC.,)	
)	
Plaintiff,)	
)	
v.)	C.A. No. 24-1355 (RGA)
)	
IRHYTHM TECHNOLOGIES, INC.,)	
)	
Defendant.)	

**STIPULATION AND [PROPOSED] ORDER TO
EXTEND DEADLINE TO RESPOND TO FIRST AMENDED COMPLAINT**

IT IS HEREBY STIPULATED by the parties, subject to the approval of the Court, that the time for the Defendant to answer, move, or otherwise respond to the First Amended Complaint (D.I. 9) is extended to March 3, 2025.

POTTER ANDERSON & CORROON LLP

/s/ Philip A. Rovner

Philip A. Rovner (#3215)
P.O. Box 951
Wilmington, DE 19899
(302) 984-6000
provner@potteranderson.com

Attorneys for Plaintiff

MORRIS, NICHOLS, ARSHT & TUNNELL LLP

/s/ Brian P. Egan

Brian P. Egan (#6227)
1201 North Market Street
P.O. Box 1347
Wilmington, DE 19899
(302) 658-9200
began@morrisnichols.com

Attorneys for Defendant

December 31, 2024

SO ORDERED, this ____ day of _____, 202__.

United States District Court Judge